


# EPOXY REPAIR AQUA

## HARDWEARING TWO-PART EPOXY PUTTY.



### PRODUCT DESCRIPTION

Two-part epoxy putty for permanent repairs and restorations.

### FIELD OF APPLICATION

For repairing and restoring objects exposed to humidity or water. Ideal for maritime applications or emergency repairs under water.

### PROPERTIES

- Fast
- Paintable
- Easy to use
- Does not shrink
- For use indoors and outdoors
- Adheres to moist surfaces

### PREPARATION

**Working conditions:** Use only at temperatures between +15°C to +25°C.

**Personal safety:** Preferably wear gloves during use. After use, thoroughly wash hands with water and soap.

**Preliminary surface treatment:** Surface should be roughened, and then cleaned and degreased.

**Tools:** Use a moist knife to slice off the needed amount of Epoxy Repair from the stick.

### APPLICATION

#### Directions for use:

Use a moist knife to slice off the needed amount of Epoxy Repair from the stick (replace foil afterwards). Knead with fingers until putty has a uniform colour (beige). If kneading is difficult, warm up stick to room temperature. Use and shape within two minutes of mixing. Remove excess putty with a knife. Before

curing starts, remove fingerprints by wiping with water or a damp cloth.

**Potlife:** 3-4 minutes.

**Stains/residue:** Before curing starts, remove fingerprints by wiping with water or a damp cloth.

### CURE TIMES

**Dry/Cure time:** approx. Depending on temperature, noticeable curing after 7 to 10 minutes. Can be sanded, drilled, sawed and painted after approx. 60 minutes.

**Full bond strength:** Full bond strength after approx. 24 hours.

\* Curing time may vary depending on a.o. surface, product quantity used, humidity level and ambient temperature.

### TECHNICAL PROPERTIES

**Moisture resistance:** Good

**Temperature resistance:** -20°C to +120°C.

**UV resistance:** Good

**Chemicals resistance:** Good

**Paintability:** Good

**Filling capacity:** Good

### TECHNICAL SPECIFICATIONS

**Chemical base:** Epoxy resin

**Colour:** Beige

**Solid contents:** approx. 100 %

### STORAGE CONDITIONS

At least 24 months after date of manufacture. Limited shelf life after opening. Store in a dry, cool and frost-free place.