

## MOTIP DPF Cleaner

Ord.-no.: 090515

### Technical Information



Remove ash deposits in diesel-particle filter systems without disassembly with MOTIP DPF Cleaner. DPF Cleaner is fast-acting and is non-corrosive. MOTIP DPF Cleaner is free from solvents and non-flammable.

#### Quality & properties

- Fast-acting
- Free from solvents
- Non-corrosive
- Non-flammable

#### Physical & chemical data

- Base: Tenside solution
- Colourname: no colour
- Surfaces: Desel-particle filter systems
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Vapour pressure: 8500/20 bar
- pH-Value: 11
- Flash point: >100 °C
- Relative density: 0.99 g/ml
- Storage stability: 10 y
- Content: 400 ML

#### How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- For professional use only
- The aerosol should have room temperature
- Best processing temperature 10 to 25°C.
- Before use, shake the aerosol.
- Before use, allow the engine to cool down (maximum 50°C). Observe the instructions of the car manufacturer.
- Disassemble temperature or pressure sensor from the filter. Insert the special tube into the opening. Empty the can in the following intervals: spray 3 - 5 times; allow to soak for 5 seconds
- Install temperature or pressure sensor. Start the engine and allow to run stationary for at least 15 minutes to evaporate most of the fluid. Make a test-drive of 30 minutes. This may cause the formation of steam.

#### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

#### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

#### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline +31 (0) 561 69 44 00 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of June 10, 2022 – This release replaces all eventually earlier issued versions.