

## MOTIP Tyre Repair

## Technical Information



Use MOTIP Tyre Repair to do emergency repairs on tubeless tyres. Tyre Repair can be used without removing the tyre.

**Ord.-no:** 000712

### Quality & properties

Rubber based  
User-friendly  
Can be used without removing the tyre

### Physical & chemical data

Base: Rubber-based  
Colourname: no colour  
Surfaces: Tubeless tyres  
Minimum Working Temperature: 10 °C  
Maximum Working Temperature: 25 °C  
Flash point: n.a.  
Storage stability: 5 y  
Content: 500 ML

### How to use

Before use, carefully read the directions on the packaging and act accordingly.  
The aerosol should have room temperature. Best processing temperature 5 to 30°C. Before use, shake the aerosol.  
Search the cause of the leakage and remove this. Completely let the tyre down. Screw the adaptor on the valve. Hold the can upside down and empty completely.  
Drive approximately ten (10) kilometres with a maximum speed of 50 kilometre per hour in order to enable the product to equally spread in the tyre. Then remove the propellant from the tyre and again bring the tyre on pressure.  
Repair the tyre soonest, indicating the tyre was temporarily repaired with Tyre Repair.  
Suitable to repair small leakages in the tread of the tyre.

### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

**As of May 7, 2025** – This release replaces all eventually earlier issued versions.