


# ORIGINAL RANGE 304 Stainless Steel



Part No.	BS No.	Adjustment		Band Width mm	Band Thickness mm	Recommended Torque Nm	Maximum Torque Nm	Maximum Pressure PSI	Part No.
		mm	Inches						
00SS	12	9.5- 12	3/8- 1/2	9.3	0.7	3.4	4.5	203	00SS
M00SS	16	11- 16	1/2-5/8	9.3	0.7	3.4	4.5	203	M00SS
00SS	20	13- 20	1/2-3/4	9.3	0.7	3.4	4.5	203	00SS
0SS	22	16- 22	5/8- 7/8	12.7	0.9	4.2	5.6	203	0SS
0XSS	25	18- 25	3/4-1	12.7	0.9	4.2	5.6	203	0XSS
1ASS	30	22- 30	7/8-1 1/8	12.7	0.9	5.1	6.8	203	1ASS
1SS	35	25- 35	1-1 3/8	12.7	0.9	5.1	6.8	102	1SS
1XSS	40	30- 40	1 1/8-1 5/8	12.7	0.9	5.1	6.8	102	1XSS
1MSS	45	32- 45	1 1/4-1 3/4	12.7	0.9	5.1	6.8	102	1MSS
2ASS	50	35- 50	1 3/8-2	12.7	0.9	5.9	7.9	102	2ASS
2SS	55	40- 55	1 5/8-2 1/8	12.7	0.9	5.9	7.9	102	2SS
2XSS	60	45- 60	1 3/4 -2 3/8	12.7	0.9	5.9	7.9	102	2XSS
3SS	70	55- 70	2 1/8-2 3/4	12.7	0.9	6.7	9	102	3SS
3XSS	80	60- 80	2 3/8-3 1/8	12.7	0.9	6.7	9	44	3XSS
4SS	90	70- 90	2 3/4-3 1/2	12.7	0.9	6.7	9	44	4SS
4XSS	100	85-100	3 1/4-4	12.7	0.9	6.7	9	44	4XSS
5SS	120	90-120	3 1/2-4 3/4	12.7	0.9	6.7	9	44	5SS
6SS	140	110-140	4 3/8-5 1/2	12.7	0.9	6.7	9	44	6SS
6XSS	150	120-150	4 3/4-5 7/8	12.7	0.9	5.9	7.9	18	6XSS
7SS	165	135-165	5 1/4-6 1/2	12.7	0.9	5.9	7.9	18	7SS
7.5SS	190	158-190	6 1/4-7 1/2	12.7	0.9	5.9	7.9	18	7.5SS
8.5SS	216	184-216	7 1/4-8 1/2	12.7	0.9	5.9	7.9	18	8.5SS
9.5SS	242	210-242	8 1/4-9 1/2	12.7	0.9	5.9	7.9	18	9.5SS
10.5SS	267	235-267	9 1/4-10 1/2	12.7	0.9	5.9	7.9	18	10.5SS
11.5SS	292	260-292	10 1/4-11 1/2	12.7	0.9	5.9	7.9	18	11.5SS
12.5SS	318	286-318	11 1/4-12 1/2	12.7	0.9	5.9	7.9	18	12.5SS

For larger sizes please contact us

## Quality Assurance



SAE J1508 Surface Vehicle Standards-Hose Clamp Specifications, Type FE is referenced in the quality control methods for the design/manufacture of Original Range Jubilee Clips.

## Corrosion Resistance

1000 hours NSS Test

## Fastening

7mm A/F screw

## Industry Recommendations



304 Stainless Steel